

Designböden **230 HDF**

Design flooring / Sols design / Pavimenti vinilici modulari LVT

auch als Klebe-
HDF
und Aquavariante



INKU
Classic



S T A B I L E
D I M E N S I O N



I N T E R G R I E R T E R
T R I T T S C H A L L

R O B U S T E
S T Ä R K E





Designböden**230 HDF**

Design flooring / Sols design / Pavimenti vinilici modulari LVT

Vorteile

Advantages / Avantages / Vantaggi



HDF Click!
Duo Connect-Technologie

- **Robustheit durch Produktstärke**
*strong, robust product /
robustesse grâce à la résistance du produit /
robustezza grazie alla forza del prodotto*
- **schnelle & saubere Verlegung**
*fast and clean installation /
pose rapide et propre /
installazione rapida e pulita*
- **starke Verbindungen**
*stable connections /
connexions stables /
connessioni resistenti*
- **Maß- und Dimensionsstabilität**
*dimensional stability /
stabilité dimensionnelle /
stabilità delle dimensioni e delle misure*
- **integrierte Trittschalldämmung**
*integrated impact sound insulation /
isolation aux bruits d'impact intégré /
isolamento acustico da impatto integrato*
- **besonders pflegeleicht und langlebig**
*particularly easy to clean and durable /
particulièrement facile à nettoyer et durable /
particolarmente facile da pulire e durevole*

Designböden **230 HDF**



Foto S. 8

Vanilla Oak



Foto S. 10

Light Apple

 **4223 HDF Click!** 23,00 x 123,50 cm

 **4516 HDF Click!** 23,00 x 123,50 cm




Foto S. 12

Waxed Oak



 **4233 HDF Click!** 23,00 x 123,50 cm



Foto S. 14

Rustic Fir



Foto S. 16

Wormy Light Oak

 **4510 HDF Click!** 23,00 x 123,50 cm

 **4224 HDF Click!** 23,00 x 123,50 cm



Foto S. 18

Spring Oak



Foto S. 20

Fresh Oak

 **4524 HDF Click!** 23,00 x 123,50 cm

 **4254 HDF Click!** 23,00 x 123,50 cm




Foto S. 22

Blond Pine



Foto S. 24

Authentic Oak

 **4521 HDF Click!** 23,00 x 123,50 cm

 **4501 HDF Click!** 23,00 x 123,50 cm



Foto S. 26

Classic Oak



Foto S. 28

Traditional Oak

 **4517 HDF Click!** 23,00 x 123,50 cm

 **4212 HDF Click!** 23,00 x 123,50 cm



Foto S. 30

Wild Oak

 **4519 HDF Click!** 23,00 x 123,50 cm



Foto S. 32

Highland Oak

 **4232 HDF Click!** 23,00 x 123,50 cm




Foto S. 34

Classic Nuttree

 **4257 HDF Click!** 23,00 x 123,50 cm



Foto S. 36

Western Spruce

 **4507 HDF Click!** 23,00 x 123,50 cm



Foto S. 38

Supreme Oak

 **4505 HDF Click!** 23,00 x 123,50 cm



Foto S. 40

Urban Oak

 **4503 HDF Click!** 23,00 x 123,50 cm

Designböden **230 HDF** – Alle Dekore auch als Klebevariante und Aqua Click!



HDF Click! 9,6 mm

*HDF Click version 9,6 mm /
HDF Version cliquée 9,6 mm /
HDF Versione clic 9,6 mm*






Klebevariante 1,6 mm

*Adhesive version 1,6 mm /
Variante encollée 1,6 mm /
Variante adesiva 1,6 mm*



Aqua Click! 5,0 mm

*Aqua Click version 5,0 mm /
Aqua version cliquée 5,0 mm /
Aqua versione clic 5,0 mm*



Transparente Nutzschrift mit PU-Vergütung
*Transparent wear layer with PU treatment /
Couche d'usure transparente avec traitement PU /
Strato di usura trasparente con trattamento PU*

Fotofilm (Holz/Stein)
*Printed film layer (wood/stone) / Film décoratif (bois/
pierre) / Strato dec. (legno/pietra)*

Stabilisierungsschicht
*Stabilisation layer / Couche de stabilisation / Strato di
stabilizzazione*

Trägermaterial PVC
*Support layer PVC / Couche de fond PVC / Materiale di
supporto PVC*

HDF-Platte
HDF board / Panneau HDF / Tavola HDF

Integrierte Trittschalldämmung Kork
*Integrated impact sound insulation cork / Avec intégré
isolation aux bruits d'impact / Con integrato isolamen-
to acustico da impatto*

Transparente Nutzschrift mit PU-Vergütung
*Transparent wear layer with PU treatment /
Couche d'usure transparente avec traitement PU /
Strato di usura trasparente con trattamento PU*

Fotofilm (Holz/Stein)
*Printed film layer (wood/stone) / Film décoratif (bois/
pierre) / Strato dec. (legno/pietra)*

Stabilisierungsschicht
*Stabilisation layer / Couche de stabilisation / Strato
di stabilizzazione*

Trägermaterial PVC
*Support layer PVC / Couche de fond PVC / Materiale
di supporto PVC*

Transparente Nutzschrift mit PU-Vergütung
*Transparent wear layer with PU treatment /
Couche d'usure transparente avec traitement PU /
Strato di usura trasparente con trattamento PU*

Fotofilm (Holz/Stein)
*Printed film layer (wood/stone) / Film décoratif (bois/
pierre) / Strato dec. (legno/pietra)*

Stabilisierungsschicht
*Stabilisation layer / Couche de stabilisation / Strato
di stabilizzazione*

Trägermaterial PVC
*Support layer PVC / Couche de fond PVC / Materiale
di supporto PVC*

Wasserfeste Trägerplatte
*Waterproof carrier plate / Plaque de support imper-
méable / Piastra di supporto impermeabile*

Designböden **230 HDF**



Design flooring / Sols design / Pavimenti vinilici modulari LVT

JOKA[®]

Designböden **230 HDF**




Foto S. 62

Virgin Stone

 **4515 HDF Click!** 45,00 x 62,00 cm



Foto S. 64

Exposed Concrete

 **4512 HDF Click!** 45,00 x 62,00 cm



Foto S. 66

Bright Concrete

 **4265 HDF Click!** 45,00 x 62,00 cm




Foto S. 68

Grey Washed Stone

 **4266 HDF Click!** 45,00 x 62,00 cm




Foto S. 70

Dark Granite

 **4514 HDF Click!** 45,00 x 62,00 cm

Designböden **230 HDF**



Foto S. 42

Loft Pine

 **4506 HDF Click!** 23,00 x 123,50 cm



Foto S. 44

Creamy Oak

 **4504 HDF Click!** 23,00 x 123,50 cm




Foto S. 46

White Limed Oak

 **4235 HDF Click!** 23,00 x 123,50 cm



Foto S. 48

Grey Pine

 **4234 HDF Click!** 23,00 x 123,50 cm



Foto S. 50

Old Timber

 **4523 HDF Click!** 23,00 x 123,50 cm



Foto S. 52

Scandinavian Pine


 **4249 HDF Click!** 23,00 x 123,50 cm



Foto S. 54

Dark Limed Oak

 **4260 HDF Click!** 23,00 x 123,50 cm



Foto S. 56

Metallic Oak

 **4511 HDF Click!** 23,00 x 123,50 cm



Foto S. 58

Old Grey Oak

 **4240 HDF Click!** 23,00 x 123,50 cm



Foto S. 60

Misty Oak

 **4520 HDF Click!** 23,00 x 123,50 cm

Designböden **230 HDF**

Design flooring / Sols design / Pavimenti vinilici modulari LVT

auch als Klebe-
HDF
und Aquavariante



INKU
Classic